

VASCULAR PLANTS – NORTH GLENMORE PARK

(Recorded by naturalist Gus Yaki, summer 2011)

A wide variety of unusual plants occur here; many spilling over from the adjacent yards. Some more notable ones are: Maidenhair Fern; Black Spruce; Large-leaved Linden, Black Hollyhock; Ussurian Pear; Ninebark; Purple Loosestrife; Ohio Buckeye; Norway Maple; Blue Sea Holly; Sneezewort Yarrow; Galinsoga and Feverfew, to name just a few.

+ = Alien. ++ = Invasive

Family 14-FERN: (Dryopteridaceae).

- __Maidenhair Fern+, *Adiantum* sp; N50.59.430/W114.07.835
- __Ostrich Fern+, *Matteuccia struthiopteris*, U. N50.59.565/W114.08.120;
- __Fern sp.+,

Family 01-PINE: (Pinaceae).

- __Siberian Larch+, *Larix siberica*, U. N50.59.430/W114.07.631;
- __Norway Spruce+, *Picea abies*, R. N50.59.431/W114.07.128; 430/7.988;
- __Black Spruce+, *P. mariana*; R. N50.59.420/W114.07.117;
- __Lodgepole Pine+, *Pinus contorta*, U. N50.59.585/W114.08.118;
- __Austrian/Black Pine+, *P. nigra*, N50.59.425/W114.07.795;
- __Scots Pine+, *P. sylvestris*, N50.59.603/W114.03.277;

Family 02-CYPRESS: (Cupressaceae).

- __Eastern White Cedar+, *Thuja occidentalis*, U. N50.59.654/W114.08.120;

Family 01-BUTTERCUP = CROWFOOT: (Ranunculaceae).

- __Bicolor Monkshood+, *Aconitum cammarum*, U. nGlen.N50.59.429/W114.07.969; 638/8.122;
- __Cultivated Columbine+, *Aquilegia* sp., U. N50.59.429/W114.07.846;
- __Yellow Clematis+ *Clematis tangutica*, C. nGlen.N50.59.055/W114.07.184; 432/839;
- __6 ft tall Meadow Rue, *Thalictrum* sp. U. N50.59.430/W114.07.799; 425/837;

Family – PEONY: (Paeonae)

- __Peony+, *Paeonia* sp., N50.59.419/W114.07.835;

Family 02-FUMITORY: (Fumariaceae).

- __Bleeding Heart+, *Dicentra spectabilis*, U. N50.59.429/W114.08.712;

Family 02-ELM: (Ulmaceae).

- __Manchurian Elm+, *Ulmus pumila*. U. nGlen.N50.59.428/W114.08.116; 556/118;

Family 03-HEMP: (Cannabinaceae).

- __Common Hop+, *Humulus lupulus*, U. N50.59.568/W114.08.122;

Family 02-WALNUT: (Juglandaceae).

- __Butternut+, *Juglans cinerea*, R. nGlen.N50.59.428/W114.08.047;
- __Black Walnut?+, *J. nigra*, R. nGlen.N50.59.423/W114.07.871;

Family 05-BIRCH: (Betulaceae).

- __Paper Birch+, *Betula papyrifera*, R. nGlen.N50.59.427/W114.08.037;

Family 08: AMARANTH: (Amaranthaceae).

- __Red-root Pigweed+, *A. retroflexus*, U. N50.59.421/W114.07.871;

Family 12-PINK = CARNATION: (Caryophyllaceae).

- __Pink+, *Dianthus* sp., U. N50.59.423/W114.07.879;
- __Baby's-breath++, *Gypsophylla* sp, N50.59.421/W114.07.867;
- __Maltese Cross+, *Lychnis chalconica*, N50.59.421/W114.07.867;

Family 01-BUCKWHEAT: (Polygonaceae).

- __Wild Buckwheat+, *Polygonum convolvulus*, U. N50.59.431/W114.07.977;

Family 02-LINDEN: (Tiliaceae).

- __Large-leaved Linden+, *Tilia* sp. R. nGlen.N50.59.639/W114.08.120; 630/118;

Family 05-MALLOW: (Malvaceae).

- __Hollyhock+, Black flower, *Althaea rosea*, U. N50.59.414/W114.07.830;
- __Lavatera+, *Lavatera trimestris*, N50.59.421/W114.07.867;

Family 03-MUSTARD: (Brassicaceae = Cruciferae).

- __Horse Radish+, *Armoracia rusticana*, R. nGlen.N50.59.432/W114.07.761;

Family 07-WINTERGREEN = PYROLA: (Pyrolaceae).

- __Pink Wintergreen, *Pyrola asarifolia*, C. nGlen.N50.59.445/W114.08.118; 638/372;

Family 09-MOCK-ORANGE: (Hydrangeaceae).

__ Lewis's Mock-Orange+, *Philadelphus lewisii*, U. N50.59.609/W114.08.117;

Family 11-CURRENT = GOOSEBERRY: (Grossulariaceae).

__ Alpine Currant+, *Ribes alpinum*. U. N50.59.313/W114.07.727; N50.59.432/W114.08.102;

__ Golden Currant+, *R. aureum*, U. N50.59.429/W114.07.413;

__ Red Currant+, *R. sativum*, U. nGlen.N50.59.426/W114.07.838; 436/830; 419/883; 528/8.120;

Family 19-ROSE: (Rosaceae).

__ Goat's-beard+, *Aruncus* sp., U. N50.59.416/W114.07.836;

__ Peking Cotoneaster++, *Cotoneaster acutifolius*, C. nGlen.N50.59.105/W114.07.059; 434/744;

__ Fireberry/Golden-fruited Hawthorn, *Crataegus chrysoarpa*. U.

nGlen.N50.59.420/W114.07.841;

__ May Tree+, *C. monogyna*. N50.59.500/W114.08.113; N50.59.430/W114.07.526;

__ Purple-leaved, purple fruited Crabapple+, *Malus baccata* U. N50.59.428/W114.07.855;

__ Ussurian Pear+, *Pyrus ussuriensis*, U. (2), nGlen.N50.59.544/W114.08.214;

__ Ninebark+, *Physocarpus opulifolius* 'Diablo', R. N50.59. /W114.08.;

__ Mayday+, *Prunus padus*, U. nGlen.N50.59.284/W114.07.796; 435/521; 430/213;

__ Nanking Cherry+, *P. tomentosa*. R. nGlen.N50.59.427/W114.08.655;

__ Schubert's Choke Cherry+, *P. virginiana* var. 'Schubert' U. nGlen.N50.59.135/W114.07.356;

__ Red-leaved Rose+, *Rosa rubrifolia*, U. nGlen.N50.59.421/W114.07.846;

__ Eur. Mountain-ash+, *Sorbus aucuparia*, U. nGlen.N50.59.421/W114.07.872;

Family 03-PEA = PULSE = LEGUME: (Fabiaceae = Leguminosae).

__ Siberian Peashrub++, *Caragana arborescens*, U. nGlen.N50.59.150/W114.07.399;

__ Pygmy Caragana+, *C. pygmaea*, U, 10ft tall. N50.59.434/W114.09.834;

__ Sweet Pea+, *Lathyrus odoratus*, U. N50.59.429/W114.07.872;

Family 01-OLEASTER: (Elaeagnaceae).

__ Am. Silverberry/Wolf Willow, *Elaeagnus commutata*, C. nGlen.N50.59.087/W114.07.066;

__ Canada Buffaloberry, *Shepherdia canadensis*, C. nGlen.N50.59.138/W114.07.039;

Family 02-LOOSESTRIFE: (Lythraceae).

__ Purple Loosestrife++, *Lythrum salicaria*, U. N50.59.429/W114.07.848; 431/383;

Family 01-BUCKTHORN: (Rhamnaceae).

__ European Buckthorn++, *Rhamnus catharticus*, FC. nGlen.N50.59.585/W114.08.119;

Family 03-VINE: (Vitaceae).

__ Virginia Creeper+, *Parthenocissus quinquefolia*, U. N50.59.431/W114.07.377;

Family 06-BUCKEYE: (Hippocastanaceae).

__ Ohio Buckeye+, *Aesculus glabra*, U. nGlen.N50.59.430/W114.08.080 ;

__ Horse-chestnut+, *A. hippocastanum*, R. nGlen.N50.59.435/W114.08.019;

Family 07-MAPLE: (Aceraceae).

__ Tartarian/Amur Maple+, *Acer ginnala*. U. nGlen.N50.59.418/W114.07.874; 113/884;

__ Norway Maple+, *A. platanoides*, 4ft tall, 28Aug05, nGlen.N50.59.422/W114.07.845;

Family 09-CASHEW: (Anacardiaceae).

__ Smooth Sumac+, *Rhus glabra*, R. (2)- nGlen.N50.59.435/W114.08.018;

Family 02-GERANIUM: (Geraniaceae).

__ Bicknell's Geranium, *Geranium bicknellii*, R. nGlen.N50.59.514/W114.08.122; 521/120;

__ Meadow Geranium+, *G. pratensis*, U. N50.59.415/W114.07.830;

__ Geranium+, *Pelargonium hortorum*. N50.59.416/W114.07.832;

Family 04-NASTURTIUM: (Tropaeolaceae).

__ Nasturtium+, *Tropaeolum majus*, U. N50.59.431/W114.07.259; 419/838

Family 02-CARROT = PARSLEY: (Apiaceae = Umbelliferae).

__ Bishop's Goutweed+, *Aegopodium podagraria*, U. nGlen.N50.59.418/W114.07.831;

__ Blue Sea Holly+, *Eryngium planum* 'Blaukappe', N50.59.424/W114.07.872;

Family 03-NIGHTSHADE = TOMATO = POTATO: (Solanaceae).

__ Petunia+, *Petunia hybrida*, U. N50.59.422/W114.07.873;

Family 04-MORNING-GLORY: (Convolvulaceae).

__ Vine Morning Glory+, *Calystegia* sp. U. N50.59.431/W114.07.275;

Family 08-PHLOX: (Polemoniaceae).

__ Tall/Garden Phlox+, *Phlox paniculata*, U. N50.59.431/W114.07.364;

Family 04-MINT: (Lamiaceae = Labiatae).

- ___ Carpet Bugleweed+, *Ajuga reptans*, U. N50.59.429/W114.07.415;
- ___ Blue Giant Hyssop, *Agastache foeniculum*, U. nGlen.N50.59.407/W114.07.844;
- ___ Brittle-stem Hempnettle++, *Galeopsis tetrahit*, C. nGlen.N50.59.646/W114.07.241;
- ___ Ground Ivy/Creeping Charlie+, *Glechoma hederacea*, C. nGlen.N50.59.422/W114.08.098;
- ___ Beebalm+, *Monarda didyma*, U. N50.59.417/W114.07.834;
- ___ Hybrid Bergamot+, *M. hybrida*, U. N50.59.417/W114.07.838;

Family 02-OLIVE: (Oleaceae).

- ___ Forsythia+, *Forsythia* sp. U. N50.59.430/W114.07.405;
- ___ Dwarf Korean Lilac+, *Syringa meyeri*, U. N50.59.431/W114.07.402;
- ___ Japanese Lilac++, *S. reticulata*, U. nGlen.N50.59.168/W114.07.455; 426/641;
- ___ Common Lilac+, *S. vulgaris*, U. nGlen.N50.59.431/W114.07.862; 928/864;

Family 03-BLUEBELL = HAREBELL: (Campanulaceae).

- ___ Clustered Bellflower+, *Campanula glomerata*, U. nGlen.N50.59.419/W114.07.837;
- ___ Creeping Bellflower/Garden Bluebell++, *C. rapunculoides*, A. nGlen.N50.59.419/W114.07.841;
- ___ 2" pale blue bell+, *C. sp.* U. N50.59.431/W114.07.682;
- ___ 1.5" white bellflower+. *C. sp.*

Family 01-HONEYSUCKLE: (Caprifoliaceae).

- ___ Wayfaring Bush+, *Viburnum lantana*, U. N50.59.431/W114.07.400;
- ___ Guelder-rose Viburnum/High Bush-Cranberry+ *V. opulus*, U. nGlen.N50.59.630/W114.08.253;

Family 04-TEASEL: (Dipsacaceae)

- ___ Blue Scabiosa+, *Scabiosa* sp. U. N50.59.430/W114.07.521;

Family 01-COMPOSITE = DAISY: (Asteraceae = Compositae).

- ___ Common Yarrow+, *Achillea millefolium*, C. N50.59.606/W114.07.058; 269/764; 431/242;
- ___ Sneezewort Yarrow+, *A. ptarmica*, U. N50.59.424/W114.07.871; 430/513;
- ___ Persian Cornflower+, *Centarea dealbata*, U. N50.59.417/W114.07.833;
- ___ Globe Cornflower+, *C. macrocephala*, U. N50.59.418/W114.07.834;
- ___ Bachelor's Buttons+, *C. montanum*, U. N50.59.423/W114.07.655;
- ___ Mums+, *Chrysanthemum* sp., U. N50.59.415/W114.07.880;
- ___ Cosmos+, *Cosmos bipinnatus*, U. N50.59.418/W114.07.834;
- ___ Globe Thistle+, *Echinops ritro*, U. N50.59.423/W114.07.874;
- ___ Galinsoga+, *Galinsoga ciliata?* R. nGlen.N50.59.413/W114.07.832. in flower bed, found 13Sep05;
- ___ Prickly Lettuce++, *Lactuca serriola*, U. nGlen.N50.59.298/W114.07.890; 431/986;
- ___ Oxeye Daisy++, *Leucanthemum vulgare/Chrysanthemum leucanthemum*, C.
- ___ Shasta Daisy+, *L. superbum*, U. N50.59.413/W114.07.832;
- ___ Feverfew+, *Matricaria parthenium/Chrysanthemum parthenium*, U. N50.59.415/W114.07.836;
- ___ Painted Daisy/Pyrethrum+, *Pyrethrum coccineum*, U. N50.59.429/W114.07.872;
- ___ Old Man in the Spring/Common Groundsel++, *Senecio. vulgare*, U. N50.59.428/W114.07.294;

Family 02-GRASS: (Poaceae = Gramineae).

- ___ Ribbon Grass+, *Phalaris arundinacea bicolor*, U. N50.59.430/W114.07.406;

Family 05-LILY: (Liliaceae).

- ___ Rough-fruited Mandarin/Fairybells, *Prosartes/Disporum trachycarpum*, FC.

Family - RUSCUS: (Ruscusaceae).

- ___ Star-flwd Solomon Seal, *Maianthemum/Smilacina stellatum*, FC. nGlen.N50.59.087/W114.07.259;