

Bragg Creek Water Sampling Data - 2011

Year	Month	Day	Hour	Site	Water Temp. (C)	Turbidity (NTU)	Nitrate (mg/L)	Phosphate (mg/L)
2011	May	8	11.75	1	2	17.03	0.118	0.15
2011	May	8	14.5	2	2	13.37	0.14	0.07
2011	May	8	19	3	2	15.3	0.085	0.14
2011	May	8	9.8	5	2	18.37	0.149	0.14
2011	June	6	19.5	1	6	7.76	0.076	1.06
2011	June	4	11.5	2	5	15.07	0.135	0.12
2011	June	4	19.1	3	9	13.53	0.121	0.13
2011	July	3	13	1	10.5	4.25	0.066	0.05
2011	July	3	12	2	11	2.7	0.123	0.23
2011	July	2	10	5	10	3.26	0.024	0.14
2011	Aug	7	11.5	1	10	1.55	0.11	0.32
2011	Aug	8	13.7	2	14.5	1.02	0.094	0.04
2011	Aug	9	16	5	16	2.14	0.103	0.07
2011	Sept	6	16	2	14	1.07	0.143	0.16
2011	Sept	4	9.1	3	7.5	1.65	0.042	0.25
2011	Sept	4	18.5	5	12	1.96	0.005	

Chloride (mg/L)	Stream Gauge Level (cm)
0.97	31
0.63	31
1.02	31
3.06	31
0.62	38
7.93	38
0.5	38
0.31	16
1.92	16
10.78	16
0.62	6
2.1	6
2.93	6
1.7	3
2.62	3
3.77	3